Index of Authors

ALIHONOU Eusebe *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

AOYAGI Y. *see* MURAMATSU T., AOYAGI Y., OKUMURA J. & TASAKI I. Contribution of whole-body protein synthesis to basal metabolism in layer and broiler chickens. 269

ARMSTRONG D.G. *see* ROOKE J.A., LEE N.H. & ARMSTRONG D.G. The effects of intraruminal infusions of urea, casein, glucose syrup and a mixture of casein and glucose syrup on nitrogen digestion in the rumen of cattle receiving grass-silage diets. 89

ARNOLD Jeff & RICHARD Denis Detraining of exercise-trained rats: effects on energetic efficiency and brown adipose tissue thermogenesis. 363

BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

BALLOT D. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

BAUMAN Victoria K. *see* BERZIN Nadezhda I. & BAUMAN Victoria K. Vitamin-A-dependent zinc-binding protein and intestinal absorption of Zn in chicks. 255

BAYNES R.D. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

BAYNES R.D. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

BEEVER D.E., LOSADA H.R., GALE D.L., SPOONER M.C. & DHANOA M.S. The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. 57

BERZIN Nadezhda I. & BAUMAN Victoria K. Vitamin-A-dependent zinc-binding protein and intestinal absorption of Zn in chicks. 255

BEZWODA W.R. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

BEZWODA W.R. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

BILEOMA Semiou *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

BLAKEBOROUGH Peter & SALTER Dallyn N. The intestinal transport of zinc studied using brush-border-membrane vesicles from the piglet. 45

BOHOROV O., BUTTERY P.J., CORREIA J.H.R.D. & SOAR J.B. The effect of the β-2-adrenergic agonist clenbuterol or implantation with oestradiol plus trenbolone acetate on protein metabolism in wether lambs. 99

BOTHWELL J.E. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

BOTHWELL J.E. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

BOTHWELL T.H. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

BOTHWELL T.H. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

BUCHAN Vivien *see* LOBLEY G.E., CONNELL Alexmary & BUCHAN Vivien Effect of food intake on protein and energy metabolism in finishing beef steers. 457

BUNKER Valda W., LAWSON Margaret S., STANSFIELD Maureen F. & CLAYTON Barbara E. Nitrogen balance studies in apparently healthy elderly people and those who are housebound. 211

BUTTERY P.J. *see* BOHOROV O., BUTTERY P.J., CORREIA J.H.R.D. & SOAR J.B. The effect of the β-2-adrenergic agonist clenbuterol or implantation with oestradiol plus trenbolone acetate on protein metabolism in wether lambs. 99

CHAULIAC Michel *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

CHENG Bing-Qin, TRIMBLE Rodney P., ILLMAN Richard J., STONE Bruce A. & TOPPING David L. Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. 69

CHRISTENSEN Kirsten & THORBEK Grete Methane excretion in the growing pig. 355

CHRISTIDES Jean-Philippe *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

CLAYTON Barbara E. *see* BUNKER Valda W., LAWSON Margaret S., STANSFIELD Maureen F. & CLAYTON Barbara E. Nitrogen balance studies in apparently healthy elderly people and those who are housebound. 211

COLE A.H. & OGUNGBE R.F. Food intake and energy expenditure of Nigerian female students. 309

CONNELL Alexmary *see* LOBLEY G.E., CONNELL Alexmary & BUCHAN Vivien Effect of food intake on protein and energy metabolism in finishing beef steers. 457

COOLEY S. & LIVESEY G. The metabolizable energy value of Polydextrose® in a mixed diet fed to rats. 235

COPPEN D.E. & DAVIES N.T. Studies on the effects of dietary zinc dose on ^{65}Zn absorption in vivo and on the effects of Zn status on ^{65}Zn absorption and body loss in young rats. 35

CORREIA J.H.R.D. *see* BOHOROV O., BUTTERY P.J., CORREIA J.H.R.D. & SOAR J.B. The effect of the β-2-adrenergic agonist clenbuterol or implantation with oestradiol plus trenbolone acetate on protein metabolism in wether lambs. 99

CRAWFORD M.A. *see* LEYTON J., DRURY P.J. & CRAWFORD M.A. Differential oxidation of saturated and unsaturated fatty acids in vivo in the rat. 383

DAVIES N.T. *see* COPPEN D.E. & DAVIES N.T. Studies on the effects of dietary zinc dose on ^{65}Zn absorption in vivo and on the effects of Zn status on ^{65}Zn absorption and body loss in young rats. 35

DE BOER Janna O., VAN ES Aren J.H., VOGT Joop E., VAN RAAIJ Joop M.A. & HAUTVAST Joseph G.A.J. Reproducibility of 24 h energy expenditure measurements using a human whole body indirect calorimeter. 201

DERMAN D.P. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

DEVANLAY Michel *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

DHANOA M.S. *see* BEEVER D.E., LOSADA H.R., GALE D.L., SPOONER M.C. & DHANOA M.S. The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. 57

DRURY P.J. *see* LEYTON J., DRURY P.J. & CRAWFORD M.A. Differential oxidation of saturated and unsaturated fatty acids in vivo in the rat. 383

FAICHNEY G.J. *see* PUNIA B.S., LEIBHOLZ Jane & FAICHNEY G.J. The role of rumen protozoa in the utilization of paspalum (*Paspalum dilatatum*) hay by cattle. 395

FAIRNEY Angela & SAPHIER P.W. Studies on the measurement of 25-hydroxy vitamin D in human saliva. 13

FISHER M.T. *see* WAGHORN G.C., ULYATT M.J., JOHN A. & FISHER M.T. The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. 115

FLENDRIG J.A. *see* SELS J.P., FLENDRIG J.A. & POSTMES TH.J. The influence of guar-gum bread on the regulation of diabetes mellitus type II in elderly patients. 177

GALÁN Pilar *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

GALE D.L. *see* BEEVER D.E., LOSADA H.R., GALE D.L., SPOONER M.C. & DHANOA M.S. The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. 57

GARTHWAITE P. *see* WILLIAMS P.E.V., PAGLIANI L., INNES G.M., PENNIE K., HARRIS C.I. & GARTHWAITE P. Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. 417

GILLOOLY M. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

GILLOOLY M. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

GIUGLIANO R. & MILLWARD D.J. The effects of severe zinc deficiency on protein turnover in muscle and thymus. 139

GRIMBLE George K. *see* PATIL Dharmaraj H., GRIMBLE George K. & SILK David B.A. Lactitol, a new hydrogenated lactose derivative: intestinal absorption and laxative threshold in normal human subjects. 195

HARRIS C.I. *see* WILLIAMS P.E.V., PAGLIANI L., INNES G.M., PENNIE K., HARRIS C.I. & GARTHWAITE P. Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. 417

HARRIS C.I., MILNE G. & MCDIARMID Ruth The retention and metabolism of N^{τ}-methylhistidine by cockerels: implications for the measurement of muscle protein breakdown determined from the excretion of N^{τ}-methylhistidine in excreta. 467

HAUTVAST Joseph G.A.J. *see* DE BOER Janna O., VAN ES Aren J.H., VOGT Joop E., VAN RAAIJ Joop M.A. & HAUTVAST Joseph G.A.J. Reproducibility of 24 h energy expenditure measurements using a human whole body indirect calorimeter. 201

HAZELL T. & JOHNSON I.T. In vitro estimation of iron availability from a range of plant foods: influence of phytate, ascorbate and citrate. 223

HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

HILL R. *see* VINCENT Isobel C., MICHELL A.R., WILLIAMS H.LL. & HILL R. Effects of sodium intake during two parities on Na status in Blackface sheep. 447

HOVELL F.D.DEB., ØRSKOV E.R., KYLE D.J. & MACLEOD N.A. Undernutrition in sheep. Nitrogen repletion by N-depleted sheep. 77

HUNTINGTON Gerald B. Net absorption from portal-drained viscera of nitrogenous compounds by beef heifers fed on diets differing in protein solubility or degradability in the rumen. 109

ILLMAN Richard J. *see* CHENG Bing-Qin, TRIMBLE Rodney P., ILLMAN Richard J., STONE Bruce A. & TOPPING David L. Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. 69

IMAMICHI Tomonori *see* MIZOGUCHI Junji & IMAMICHI Tomonori Decrease in amylase (*EC* 3.4.21.4) synthesis in lactating rats. 291

INNES G.M. *see* WILLIAMS P.E.V., PAGLIANI L., INNES G.M., PENNIE K., HARRIS C.I. & GARTHWAITE P. Effects of a β-agonist (clenbuterol) on growth, carcass compositior protein and energy metabolism of veal calves. 417

IVAN M. Absorption and secretion of ^{65}Zn in the stomach and intestinal tract of sheep exchanging digesta via duodenal re-entrant cannulas. 479

JOHN A. *see* WAGHORN G.C., ULYATT M.J., JOHN A. & FISHER M.T. The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. 115

JOHNSON I.T. *see* HAZELL T. & JOHNSON I.T. In vitro estimation of iron availability from a range of plant foods: influence of phytate, ascorbate and citrate. 223

JOHNSON I.T. *see* SWINDELL Tina E. & JOHNSON I.T. The effect of prolonged dietary supplementation with guar gum on subsequent iron absorption and retention in rats. 245

KEMPER Han C.G. *see* POST Bertheke, KEMPER Han C.G. & STORM-VAN ESSEN Lucienne Longitudinal changes in nutritional habits of teenagers: differences in intake between schooldays and weekend days. 161

KOIVISTOINEN Pekka *see* MUTANEN Marja, KOIVISTOINEN Pekka, MORRIS Virginia C. & LEVANDER Orville A. Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum* L.), fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. 319

KOMISARCZUK Sylvie, MERRY R.J. & MCALLAN A.B. Effect of different levels of phosphorus on rumen microbial fermentation and synthesis determined using a continuous culture technique. 279

KYLE D.J. *see* HOVELL F.D.DEB., ØRSKOV E.R., KYLE D.J. & MACLEOD N.A. Undernutrition in sheep. Nitrogen repletion by N-depleted sheep. 77

LAWSON Margaret S. *see* BUNKER Valda W., LAWSON Margaret S., STANSFIELD Maureen F. & CLAYTON Barbara E. Nitrogen balance studies in apparently healthy elderly people and those who are housebound. 211

LEE N.H. *see* ROOKE J.A., LEE N.H. & ARMSTRONG D.G. The effects of intraruminal infusions of urea, casein, glucose syrup and a mixture of casein and glucose syrup on nitrogen digestion in the rumen of cattle receiving grass-silage diets. 89

LEIBHOLZ Jane *see* PUNIA B.S., LEIBHOLZ Jane & FAICHNEY G.J. The role of rumen protozoa in the utilization of paspalum (*Paspalum dilatatum*) hay by cattle. 395

LEVANDER Orville A. *see* MUTANEN Marja, KOIVISTOINEN Pekka, MORRIS Virginia C. & LEVANDER Orville A. Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum* L.), fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. 319

LEYTON J., DRURY P.J. & CRAWFORD M.A. Differential oxidation of saturated and unsaturated fatty acids in vivo in the rat. 383

LIVESEY G. *see* COOLEY S. & LIVESEY G. The metabolizable energy value of Polydextrose® in a mixed diet fed to rats. 235

LOBLEY G.E., CONNELL Alexmary & BUCHAN Vivien Effect of food intake on protein and energy metabolism in finishing beef steers. 457

LOSADA H.R. *see* BEEVER D.E., LOSADA H.R., GALE D.L., SPOONER M.C. & DHANOA M.S. The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. 57

LYONS G. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

MCALLAN A.B. *see* KOMISARCZUK Sylvie, MERRY R.J. & MCALLAN A.B. Effect of different levels of phosphorus on rumen microbial fermentation and synthesis determined using a continuous culture technique. 279

MCDIARMID Ruth *see* HARRIS C.I., MILNE G. & MCDIARMID Ruth The retention and metabolism of N^{τ}-methylhistidine by cockerels: implications for the measurement of muscle protein breakdown determined from the excretion of N^{τ}-methylhistidine in excreta. 467

MACFARLANE B.J. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

MACFARLANE B.J. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D.,

MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

MACLEOD N.A. *see* HOVELL F.D.DEB., ØRSKOV E.R., KYLE D.J. & MACLEOD N.A. Undernutrition in sheep. Nitrogen repletion by N-depleted sheep. 77

MACPHAIL A.P. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

MACPHAIL A.P. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

MALMLÖF Kjell Porto-arterial plasma concentration differences of urea and ammonia-nitrogen in growing pigs given high- and low-fibre diets. 439

MASSE-RAIMBAULT Anne-Marie *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

MASSEY R.F. *see* TONKISS J., SMART J.L. & MASSEY R.F. Growth and development of rats artificially reared on rats' milk or rats' milk/milk-substitute combinations. 3

MAYET F. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

MAYET F. *see* DERMAN D.P., BALLOT D., BOTHWELL T.H., MACFARLANE B.J., BAYNES R.D., MACPHAIL A.P., GILLOOLY M., BOTHWELL J.E., BEZWODA W.R. & MAYET F. Factors influencing the absorption of iron from soya-bean protein products. 345

MERRY R.J. *see* KOMISARCZUK Sylvie, MERRY R.J. & MCALLAN A.B. Effect of different levels of phosphorus on rumen microbial fermentation and synthesis determined using a continuous culture technique. 279

MICHELL A.R. *see* VINCENT Isobel C., MICHELL A.R., WILLIAMS H.LL. & HILL R. Effects of sodium intake during two parities on Na status in Blackface sheep. 447

MILLWARD D.J. *see* GIUGLIANO R. & MILLWARD D.J. The effects of severe zinc deficiency on protein turnover in muscle and thymus. 139

MILNE G. *see* HARRIS C.I., MILNE G. & MCDIARMID Ruth The retention and metabolism of N^{τ}-methylhistidine by cockerels: implications for the measurement of muscle protein breakdown determined from the excretion of N^{τ}-methylhistidine in excreta. 467

MIZOGUCHI Junji & IMAMICHI Tomonori Decrease in amylase (*EC* 3.4.21.4) synthesis in lactating rats. 291

MORRIS Virginia C. *see* MUTANEN Marja, KOIVISTOINEN Pekka, MORRIS Virginia C. & LEVANDER Orville A. Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum* L.), fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. 319

MURAMATSU T., AOYAGI Y., OKUMURA J. & TASAKI I. Contribution of whole-body protein synthesis to basal metabolism in layer and broiler chickens. 269

MUTANEN Marja, KOIVISTOINEN Pekka, MORRIS Virginia C. & LEVANDER Orville A. Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum* L.), fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. 319

ODLE J. & SCHAEFER D.M. Influence of rumen ammonia concentration on the rumen degradation rates of barley and maize. 127

OGUNGBE R.F. *see* COLE A.H. & OGUNGBE R.F. Food intake and energy expenditure of Nigerian female students. 309

OKUMURA J. *see* MURAMATSU T., AOYAGI Y., OKUMURA J. & TASAKI I. Contribution of whole-body protein synthesis to basal metabolism in layer and broiler chickens. 269

ØRSKOV E.R. *see* HOVELL F.D.DEB., ØRSKOV E.R., KYLE D.J. & MACLEOD N.A. Undernutrition in sheep. Nitrogen repletion by N-depleted sheep. 77

ØRSKOV E.R. *see* SILVA Ayona T., WALLACE R.J. & ØRSKOV E.R. Use of particle-bound microbial enzyme activity to predict the rate and extent of fibre degradation in the rumen. 407

PAGLIANI L. *see* WILLIAMS P.E.V., PAGLIANI L., INNES G.M., PENNIE K., HARRIS C.I. & GARTHWAITE P. Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. 417

PATIL Dharmaraj H., GRIMBLE George K. & SILK David B.A. Lactitol, a new hydrogenated lactose derivative: intestinal absorption and laxative threshold in normal human subjects. 195

PENNIE K. *see* WILLIAMS P.E.V., PAGLIANI L., INNES G.M., PENNIE K., HARRIS C.I. & GARTHWAITE P. Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. 417

POST Bertheke, KEMPER Han C.G. & STORM-VAN ESSEN Lucienne Longitudinal changes in nutritional habits of teenagers: differences in intake between schooldays and weekend days. 161

POSTMES TH.J. *see* SELS J.P., FLENDRIG J.A. & POSTMES TH.J. The influence of guar-gum bread on the regulation of diabetes mellitus type II in elderly patients. 177

POTIER DE COURCY Geneviève *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

PUNIA B.S., LEIBHOLZ Jane & FAICHNEY G.J. The role of rumen protozoa in the utilization of paspalum (*Paspalum dilatatum*) hay by cattle. 395

RICHARD Denis *see* ARNOLD Jeff & RICHARD Denis Detraining of exercise-trained rats: effects on energetic efficiency and brown adipose tissue thermogenesis. 363

ROBERTS D.C.K. *see* SAMMAN S. & ROBERTS D.C.K. The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. Zinc and copper. 27

ROOKE J.A., LEE N.H. & ARMSTRONG D.G. The effects of intraruminal infusions of urea, casein, glucose syrup and a mixture of casein and glucose syrup on nitrogen digestion in the rumen of cattle receiving grass-silage diets. 89

SALTER Dallyn N. *see* BLAKEBOROUGH Peter & SALTER Dallyn N. The intestinal transport of zinc studied using brush-border-membrane vesicles from the piglet. 45

SAMMAN S. & ROBERTS D.C.K. The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. Zinc and copper. 27

SAPHIER P.W. *see* FAIRNEY Angela & SAPHIER P.W. Studies on the measurement of 25-hydroxy vitamin D in human saliva. 13

SAUNDERSON C. Linda Effect of fasting and of methionine deficiency on L-methionine, DL-methionine and DL-2-hydroxy-4-methylthiobutanoic acid metabolism in broiler chicks. 429

SCHAEFER D.M. *see* ODLE J. & SCHAEFER D.M. Influence of rumen ammonia concentration on the rumen degradation rates of barley and maize. 127

SELS J.P., FLENDRIG J.A. & POSTMES TH.J. The influence of guar-gum bread on the regulation of diabetes mellitus type II in elderly patients. 177

SILK David B.A. *see* PATIL Dharmaraj H., GRIMBLE George K. & SILK David B.A. Lactitol, a new hydrogenated lactose derivative: intestinal absorption and laxative threshold in normal human subjects. 195

SILVA Ayona T., WALLACE R.J. & ØRSKOV E.R. Use of particle-bound microbial enzyme activity to predict the rate and extent of fibre degradation in the rumen. 407

SMART J.L. *see* TONKISS J., SMART J.L. & MASSEY R.F. Growth and development of rats artificially reared on rats' milk or rats' milk/milk-substitute combinations. 3

SOAR J.B. *see* BOHOROV O., BUTTERY P.J., CORREIA J.H.R.D. & SOAR J.B. The effect of the β-2-adrenergic agonist clenbuterol or implantation with oestradiol plus trenbolone acetate on protein metabolism in wether lambs. 99

SPOONER M.C. *see* BEEVER D.E., LOSADA H.R., GALE D.L., SPOONER M.C. & DHANOA M.S. The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. 57

STANSFIELD Maureen F. *see* BUNKER Valda W., LAWSON Margaret S., STANSFIELD Maureen F. & CLAYTON Barbara E. Nitrogen balance studies in apparently healthy elderly people and those who are housebound. 211

STONE Bruce A. *see* CHENG Bing-Qin, TRIMBLE Rodney P., ILLMAN Richard J., STONE Bruce A. & TOPPING David L. Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. 69

STORM-VAN ESSEN Lucienne *see* POST Bertheke, KEMPER Han C.G. & STORM-VAN ESSEN Lucienne Longitudinal changes in nutritional habits of teenagers: differences in intake between schooldays and weekend days. 161

SWINDELL Tina E. & JOHNSON I.T. The effect of prolonged dietary supplementation with guar gum on subsequent iron absorption and retention in rats. 245

TASAKI I. *see* MURAMATSU T., AOYAGI Y., OKUMURA J. & TASAKI I. Contribution of whole-body protein synthesis to basal metabolism in layer and broiler chickens. 269

THORBEK Grete *see* CHRISTENSEN Kirsten & THORBEK Grete Methane excretion in the growing pig. 355

TONKISS J., SMART J.L. & MASSEY R.F. Growth and development of rats artificially reared on rats' milk or rats' milk/milk-substitute combinations. 3

TOPPING David L. *see* CHENG Bing-Qin, TRIMBLE Rodney P., ILLMAN Richard J., STONE Bruce A. & TOPPING David L. Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. 69

TORRANCE J.D. *see* BALLOT D., BAYNES R.D., BOTHWELL T.H., GILLOOLY M., MACFARLANE B.J., MACPHAIL A.P., LYONS G., DERMAN D.P., BEZWODA W.R., TORRANCE J.D., BOTHWELL J.E. & MAYET F. The effects of fruit juices and fruits on the absorption of iron from a rice meal. 331

TRIMBLE Rodney P. *see* CHENG Bing-Qin, TRIMBLE Rodney P., ILLMAN Richard J., STONE Bruce A. & TOPPING David L. Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. 69

ULYATT M.J. *see* WAGHORN G.C., ULYATT M.J., JOHN A. & FISHER M.T. The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. 115

VAN ES Aren J.H. *see* DE BOER Janna O., VAN ES Aren J.H., VOGT Joop E., VAN RAAIJ Joop M.A. & HAUTVAST Joseph G.A.J. Reproducibility of 24 h energy expenditure measurements using a human whole body indirect calorimeter. 201

VAN RAAIJ Joop M.A. *see* DE BOER Janna O., VAN ES Aren J.H., VOGT Joop E., VAN RAAIJ Joop M.A. & HAUTVAST Joseph G.A.J. Reproducibility of 24 h energy expenditure measurements using a human whole body indirect calorimeter. 201

VERNAY Michèle Origin and utilization of volatile fatty acids and lactate in the rabbit: influence of the faecal excretion pattern. 371

VINCENT Isobel C., MICHELL A.R., WILLIAMS H.LL. & HILL R. Effects of sodium intake during two parities on Na status in Blackface sheep. 447

VOGT Joop E. *see* DE BOER Janna O., VAN ES Aren J.H., VOGT Joop E., VAN RAAIJ Joop M.A. & HAUTVAST Joseph G.A.J. Reproducibility of 24 h energy expenditure measurements using a human whole body indirect calorimeter. 201

WAGHORN G.C., ULYATT M.J., JOHN A. & FISHER M.T. The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. 115

WALLACE R.J. *see* SILVA Ayona T., WALLACE R.J. & ØRSKOV E.R. Use of particle-bound microbial enzyme activity to predict the rate and extent of fibre degradation in the rumen. 407

WILLIAMS H.LL. *see* VINCENT Isobel C., MICHELL A.R., WILLIAMS H.LL. & HILL R. Effects of sodium intake during two parities on Na status in Blackface sheep. 447

WILLIAMS P.E.V., PAGLIANI L., INNES G.M., PENNIE K., HARRIS C.I. & GARTHWAITE P. Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. 417

ZOHOUN Isidore *see* HERCBERG Serge, GALÁN Pilar, CHAULIAC Michel, MASSE-RAIMBAULT Anne-Marie, DEVANLAY Michel, BILEOMA Semiou, ALIHONOU Eusebe, ZOHOUN Isidore, CHRISTIDES Jean-Philippe & POTIER DE COURCY Geneviève Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. 185

Index of Subjects

β-Agonists
The effect of the β-2-adrenergic agonist clenbuterol or implantation with oestradiol plus trenbolone acetate on protein metabolism in wether lambs. **57**, 99, 1987
Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. **57**, 417, 1987

Amino acid digestion
The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. **57**, 115, 1987

Amylase
Decrease in amylase (*EC* 3.4.21.4) synthesis in lactating rats. **57**, 291, 1987

Anabolic agents
Letters to the Editors. **57**, 157, 1987

Artificially reared rats
Growth and development of rats artificially reared on rats' milk or rats' milk/milk-substitute combinations. **57**, 3, 1987

Bacterial metabolites
Origin and utilization of volatile fatty acids and lactate in the rabbit: influence of the faecal excretion pattern. **57**, 371, 1987

Barley
Influence of rumen ammonia concentration on the rumen degradation rates of barley and maize. **57**, 127, 1987

Basal metabolic rate
Contribution of whole-body protein synthesis to basal metabolism in layer and broiler chickens. **57**, 269, 1987

Brush-border-membrane vesicles
The intestinal transport of zinc studied using brush-border-membrane vesicles from the piglet. **57**, 45, 1987

Casein
The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. Zinc and copper. **57**, 27, 1987

Cholesterol
The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. Zinc and copper. **57**, 27, 1987

Condensed tannins
The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. **57**, 115, 1987

Corticosterone
The effects of severe zinc deficiency on protein turnover in muscle and thymus. **57**, 139, 1987

Cortisol
Letters to the Editors. **57**, 157, 1987

Diabetes mellitus
The influence of guar-gum bread on the regulation of diabetes mellitus type II in elderly patients. **57**, 177, 1987

Dietary fibre
Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. **57**, 69, 1987
The influence of guar-gum bread on the regulation of diabetes mellitus type II in elderly patients. **57**, 177, 1987
The effect of prolonged dietary supplementation with guar gum on subsequent iron absorption and retention in rats. **57**, 245, 1987

Energetic efficiency
Detraining of exercise-trained rats: effects on energetic efficiency and brown adipose tissue thermogenesis. **57**, 363, 1987

Energy balance
Detraining of exercise-trained rats: effects on energetic efficiency and brown adipose tissue thermogenesis. **57**, 363, 1987

Energy expenditure
Reproducibility of 24 h energy expenditure measurements using a human whole body indirect calorimeter. **57**, 201, 1987
Food intake and energy expenditure of Nigerian female students. **57**, 309, 1987

Energy metabolism
Effect of food intake on protein and energy metabolism in finishing beef steers. **57**, 457, 1987

Essential fatty acids
Differential oxidation of saturated and unsaturated fatty acids in vivo in the rat. **57**, 383, 1987

Exercise
Detraining of exercise-trained rats: effects on energetic efficiency and brown adipose tissue thermogenesis. **57**, 363, 1987

Fatty acids
Differential oxidation of saturated and unsaturated fatty acids in vivo in the rat. **57**, 383, 1987

Fibre
Porto-arterial plasma concentration differences of urea and ammonia-nitrogen in growing pigs given high- and low-fibre diets. **57**, 439, 1987

Fibre degradation
Use of particle-bound microbial enzyme activity to predict the rate and extent of fibre degradation in the rumen. **57**, 407, 1987

Food intake
Food intake and energy expenditure of Nigerian female students. **57**, 309, 1987
Effect of food intake on protein and energy metabolism in finishing beef steers. **57**, 457, 1987

Forages
The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. **57**, 57, 1987

Formaldehyde
The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. **57**, 57, 1987

Fruit
The effects of fruit juices and fruits on the absorption of iron from a rice meal. **57**, 331, 1987

Fruit juices
The effects of fruit juices and fruits on the absorption of iron from a rice meal. **57**, 331, 1987

Glutathione peroxidase
Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum* L.), fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. **57**, 319, 1987

Growth
Growth and development of rats artificially reared on rats' milk or rats' milk/milk-substitute combinations. **57**, 3, 1987
Letters to the Editors. **57**, 157, 1987

Growth promoters
The effect of the β-2-adrenergic agonist clenbuterol or implantation with oestradiol plus trenbolone acetate on protein metabolism in wether lambs. **57**, 99, 1987
Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. **57**, 417, 1987

Guar gum
The influence of guar-gum bread on the regulation of diabetes mellitus type II in elderly patients. **57**, 177, 1987
The effect of prolonged dietary supplementation with guar gum on subsequent iron absorption and retention in rats. **57**, 245, 1987

Housebound elderly
Nitrogen balance studies in apparently healthy elderly people and those who are housebound. **57**, 211, 1987

25-Hydroxy vitamin D
Studies on the measurement of 25-hydroxy vitamin D in human saliva. **57**, 13, 1987

Indirect calorimetry
Reproducibility of 24 h energy expenditure measurements using a human whole body indirect calorimeter. **57**, 201, 1987

Insulin
The effects of severe zinc deficiency on protein turnover in muscle and thymus. **57**, 139, 1987

Intestinal transport
The intestinal transport of zinc studied using brush-border-membrane vesicles from the piglet. **57**, 45, 1987

Intraruminal infusion
The effects of intraruminal infusions of urea, casein, glucose syrup and a mixture of casein and glucose syrup on nitrogen digestion in the rumen of cattle receiving grass-silage diets. **57**, 89, 1987

Iron absorption
The effects of fruit juices and fruits on the absorption of iron from a rice meal. **57**, 331, 1987
Factors influencing the absorption of iron from soya-bean protein products. **57**, 345, 1987

Iron availability
In vitro estimation of iron availability from a range of plant foods: influence of phytate, ascorbate and citrate. **57**, 223, 1987

Iron status
The effect of prolonged dietary supplementation with guar gum on subsequent iron absorption and retention in rats. **57**, 245, 1987

Lactate
Origin and utilization of volatile fatty acids and lactate in the rabbit: influence of the faecal excretion pattern. **57**, 371, 1987

Lactation
Decrease in amylase (*EC* 3.4.21.4) synthesis in lactating rats. **57**, 291, 1987

Lactitol absorption
Lactitol, a new hydrogenated lactose derivative: intestinal absorption and laxative threshold in normal human subjects. **57**, 195, 1987

Laxative threshold
Lactitol, a new hydrogenated lactose derivative: intestinal absorption and laxative threshold in normal human subjects. **57**, 195, 1987

***Lotus corniculatus* L.**
The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. **57**, 115, 1987

Maize
Influence of rumen ammonia concentration on the rumen degradation rates of barley and maize. **57**, 127, 1987

Metabolizable energy
The metabolizable energy value of Polydextrose® in a mixed diet fed to rats. **57**, 235, 1987

Metallothionein
Studies on the effects of dietary zinc dose on ^{65}Zn absorption in vivo and on the effects of Zn status on ^{65}Zn absorption and body loss in young rats. **57**, 35, 1987

Methane excretion
Methane excretion in the growing pig. **57**, 355, 1987

Methionine metabolism
Effect of fasting and of methionine deficiency on L-methionine, DL-methionine and DL-2-hydroxy-4-methylthiobutanoic acid metabolism in broiler chicks. **57**, 429, 1987

N^{τ}-Methylhistidine
The retention and metabolism of N^{τ}-methylhistidine by cockerels: implications for the measurement of muscle protein breakdown determined from the excretion of N^{τ}-methylhistidine in excreta. **57**, 467, 1987

Milk-substitutes
Growth and development of rats artificially reared

on rats' milk or rats' milk/milk-substitute combinations. **57**, 3, 1987

Monensin

The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. **57**, 57, 1987

Muscle protein breakdown

The retention and metabolism of N^{τ}-methylhistidine by cockerels: implications for the measurement of muscle protein breakdown determined from the excretion of N^{τ}-methylhistidine in excreta. **57**, 467, 1987

Nitrogen absorption

Net absorption from portal-drained viscera of nitrogenous compounds by beef heifers fed on diets differing in protein solubility or degradability in the rumen. **57**, 109, 1987

Nitrogen balance

Nitrogen balance studies in apparently healthy elderly people and those who are housebound. **57**, 211, 1987

Nitrogen depletion

Undernutrition in sheep. Nitrogen repletion by N-depleted sheep. **57**, 77, 1987

Nutritional anaemia

Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. **57**, 185, 1987

Nutritional habits

Longitudinal changes in nutritional habits of teenagers: differences in intake between schooldays and weekend days. **57**, 161, 1987

Obituary

Obituary Notice (Stanislas Kazimierz Kon). **57**, 301, 1987

Old age

Nitrogen balance studies in apparently healthy elderly people and those who are housebound. **57**, 211, 1987

Paspalum (*Paspalum dilatatum*)

The role of rumen protozoa in the utilization of paspalum (*Paspalum dilatatum*) hay by cattle. **57**, 395, 1987

Phosphorus

Effect of different levels of phosphorus on rumen microbial fermentation and synthesis determined using a continuous culture technique. **57**, 279, 1987

Polydextrose®

The metabolizable energy value of Polydextrose® in a mixed diet fed to rats. **57**, 235, 1987

Pregnancy

Nutritional anaemia in pregnant Beninese women: consequences on the haematological profile of the newborn. **57**, 185, 1987

Protein metabolism

The effect of the β-2-adrenergic agonist clenbuterol or implantation with oestradiol plus trenbolone acetate on protein metabolism in wether lambs. **57**, 99, 1987

Effects of a β-agonist (clenbuterol) on growth, carcass composition, protein and energy metabolism of veal calves. **57**, 417, 1987

Effect of food intake on protein and energy metabolism in finishing beef steers. **57**, 457, 1987

The retention and metabolism of N^{τ}-methylhistidine by cockerels: implications for the measurement of muscle protein breakdown determined from the excretion of N^{τ}-methylhistidine in excreta. **57**, 467, 1987

Protein turnover

The effects of severe zinc deficiency on protein turnover in muscle and thymus. **57**, 139, 1987

Contribution of whole-body protein synthesis to basal metabolism in layer and broiler chickens. **57**, 269, 1987

Protozoa

The role of rumen protozoa in the utilization of paspalum (*Paspalum dilatatum*) hay by cattle. **57**, 395, 1987

Rumen ammonia

Influence of rumen ammonia concentration on the rumen degradation rates of barley and maize. **57**, 127, 1987

Rumen digestion

The use of monensin or formaldehyde to control the digestion of the nitrogenous constituents of perennial ryegrass (*Lolium perenne* cv. Melle) and white clover (*Trifolium repens* cv. Blanca) in the rumen of cattle. **57**, 57, 1987

Rumen metabolism

The effects of intraruminal infusions of urea, casein, glucose syrup and a mixture of casein and glucose syrup on nitrogen digestion in the rumen of cattle receiving grass-silage diets. **57**, 89, 1987

Net absorption from portal-drained viscera of nitrogenous compounds by beef heifers fed on diets differing in protein solubility or degradability in the rumen. **57**, 109, 1987

The role of rumen protozoa in the utilization of paspalum (*Paspalum dilatatum*) hay by cattle. **57**, 395, 1987

Rumen micro-organisms

Use of particle-bound microbial enzyme activity to predict the rate and extent of fibre degradation in the rumen. **57**, 407, 1987

Rumen microbial fermentation

Effect of different levels of phosphorus on rumen microbial fermentation and synthesis determined using a continuous culture technique. **57**, 279, 1987

Saliva

Studies on the measurement of 25-hydroxy vitamin D in human saliva. **57**, 13, 1987

Selenium availability

Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum* L.), fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. **57**, 319, 1987

Silage diets

The effects of intraruminal infusions of urea, casein, glucose syrup and a mixture of casein and glucose syrup on nitrogen digestion in the rumen of cattle receiving grass-silage diets. **57**, 89, 1987

Sodium status
Effects of sodium intake during two parities on Na status in Blackface sheep. **57**, 447, 1987
Soya-bean oil
Methane excretion in the growing pig. **57**, 355, 1987
Soya-bean protein
Factors influencing the absorption of iron from soya-bean protein products. **57**, 345, 1987
Teenagers
Longitudinal changes in nutritional habits of teenagers: differences in intake between school-days and weekend days. **57**, 161, 1987
Trace elements
The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. Zinc and copper. **57**, 27, 1987
Trypsin
Decrease in amylase (*EC* 3.4.21.4) synthesis in lactating rats. **57**, 291, 1987
Undernutrition
Undernutrition in sheep. Nitrogen repletion by N-depleted sheep. **57**, 77, 1987
Urea
Porto-arterial plasma concentration differences of urea and ammonia-nitrogen in growing pigs given high- and low-fibre diets. **57**, 439, 1987
Vitamin A
Vitamin-A-dependent zinc-binding protein and intestinal absorption of Zn in chicks. **57**, 255, 1987
Vitamin D
Studies on the measurement of 25-hydroxy vitamin D in human saliva. **57**, 13, 1987
Volatile fatty acids
Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. **57**, 69, 1987
Origin and utilization of volatile fatty acids and lactate in the rabbit: influence of the faecal excretion pattern. **57**, 371, 1987
Wheat (*Triticum aestivum* L.)
Relative nutritional availability to rats of selenium in Finnish spring wheat (*Triticum aestivum* L.), fertilized or sprayed with sodium selenate and in an American winter bread wheat naturally high in Se. **57**, 319, 1987
Wheat bran
Comparative effects of dietary wheat bran and its morphological components (aleurone and pericarp-seed coat) on volatile fatty acid concentrations in the rat. **57**, 69, 1987
Zinc absorption
Studies on the effects of dietary zinc dose on ^{65}Zn absorption in vivo and on the effects of Zn status on ^{65}Zn absorption and body loss in young rats. **57**, 35, 1987
Vitamin-A-dependent zinc-binding protein and intestinal absorption of Zn in chicks. **57**, 255, 1987
Absorption and secretion of ^{65}Zn in the stomach and intestinal tract of sheep exchanging digesta via duodenal re-entrant cannulas. **57**, 479, 1987
Zinc-binding protein
Vitamin-A-dependent zinc-binding protein and intestinal absorption of Zn in chicks. **57**, 255, 1987
Zinc deficiency
The effects of severe zinc deficiency on protein turnover in muscle and thymus. **57**, 139, 1987
Zinc status
Studies on the effects of dietary zinc dose on ^{65}Zn absorption in vivo and on the effects of Zn status on ^{65}Zn absorption and body loss in young rats. **57**, 35, 1987
Zinc transport
The intestinal transport of zinc studied using brush-border-membrane vesicles from the piglet. **57**, 45, 1987